
Version Info:

ame	Version	Id	Provider	
] 🖚 Eclipse IDE for Java EE Developers	1.5.1.20121004-1506	epp.package.jee		
] 🖚 JBossAS Tools	2.4.0.Final-v20121205-2029-B41	org.jboss.ide.eclipse.as.feature.feat	JBoss by Red Hat	
🏇 Teiid DataTools Connectivity	8.0.0.Final-v20121212-1505-H1987	org.teiid.datatools.connectivity.feat	JBoss by Red Hat	
🖗 Teiid Designer	8.0.0.Final-v20121212-1505-H1987	org.teiid.designer.feature.feature.gr	JBoss by Red Hat, Inc.	
🖗 Teiid Designer Runtime	8.0.0.Final-v20121212-1505-H1987	org.teiid.designer.runtime.feature.fe	JBoss by Red Hat	
				1

Couple shots during JDBC IMPORT:

Progress Information				
Importing from JDBC database: CERNER BUILD1				
Processing database object (700 of 4,939) - creating BaseTable "CE_PREFS"				
Cancel				



Once import seems to be done ..

Hone boet		X Teld Designer - Eclipse	the first titleday tota		(#)×
	Page Layout References Mailings Review View Add-Ins	File Edit Refactor Navigate Search Project Metad		(maximum)	Welcome 11 D O O K K E = 0
M X Cut	Caller Book · II · A A O E · E · · · · · · · · · · · · · · · ·	min dia si			Welcome II 👌 🗢 🖉 🖛 🖉
Ca Cepy			Telid Server	Modeling Actions *	👝 🖾 😵 🔶 📋
			Overview	* Action Sets	Tutorials Samples Titler's New
Clipboard 9	Pent G Desgraph G Styles G Little		Depley Name Tons Tell Server	Execute elected action	E C
		strenes		Model XBC Source	Overview
		R CENTR Test, yp)	Host [bcshost	Define Teid Nodel Project	Overview
		🖲 👸 CemerTransformsmi	Noss Server Bloss 7.1 Ruthing Server.	- Greate XBC correction	
		R 🔂 PDNS_DV.vavi R 😋 test.vavi		- II, Greate source model for 308C data source	
		18 😥 views	Administration Connection	Define VCB	Workbench basics
	Programs Information	- web_services	Admissration is pe		Learn about basic Eclipse workbench
	Importing from XBC databaser CERRER BUILD1		Test Administration Specify Import Options		concepts
	~		Press the "Next >" button to continue or the "Finish" button to finish.		
			3DE Connection		A Team support
	Processing database object (700-of 4,029) - meeting ExceTable "CE_PREPS"		Relational Model Definition		Find out how to collaborate with other
	Canol		Model Name: CENNIX_BUILD0.cmi		developers
	Carolin		Passeord Into Folder: St. Pjources		
			Port E Male target a view model		
			Update (if existing model selected)		Data Tools Platform
	Progress Information		Test 305 Correct Progress Information		The Data Tools Platform project provides extensible
	ip Importing from XBC database: CISTRER BUILDS		andade Catalog For Fully Qualit		frameworks and exemplary tools, enabling a diverse set of plug-in offerings specific to particular
			Suchde Catalog For Fully Qualit     Computing the difference between F e62(5)	(Sources/CERNER_BUILD1.cmi	data-centric technologies and supported by the DTP ecosystem.
		-	Model Object Names (Tab		
	Processing-database object (3,756 of 4,9 creating BaseTable 794584_0016_883.TM		Use Fully Qualified Names (Ex Computing differences		DTP project
			Change Case For All Characte		Learn more about the Eclipse Data Tools
	Canol		-Case Options	Cancel	Platform project
			Mein Al Lyper Gene (E     Mein Al Lyper Gene (E		
					TTP documentation
					Learn how to use the Data Tools Platform
					features and tools
		Properties 11 Description - D			Eclipse Marketplace
		· · · · · · · · · · · · · · · · · · ·			mp Instal Eclipse extensions and solutions
		Property Value			<ul> <li>Install colpse extensions and solutions</li> </ul>
Page 1 of 1 Words 0			×		
					Connect to your task and ALM
			E Problems 11 4		tools
			1,050 errors, 623 we Description ^	<bak 1993.9="" canol<="" preh="" td=""><td>Open the Mylyn Task List and add a</td></bak>	Open the Mylyn Task List and add a
			E 😟 Entris (100 providences)		repository
			8 4 Warrings (300 of 623 items) 8 1 Other (300 of 2033 items)		
					Web development tools
					The Eclipse Web Tools Platform (WTP)
					project extends the Eclipse platform with
					tools for developing Web and Java EE applications, It includes source and
					graphical editors for a variety of
					languages, wizards and built-in applications to simplify development, and
			×		
		C. (Documents and Settings/Johnt+()workspaceE2/SLH(source			
			💿 17 G* 🖉 MM 🕞 Mc 🛞 Teil 😢 Doc Search Dealtop		🔎 🛛 🗑 🗰 🖓 🏟 🐨 🖓 📕 11:37 AM

Error message occurs:

Sol 10 - 10 +	Documenti - Microsoft Word	- "	X Teiid Designer - Eclipse	× (b) ×
Home Inset	Page Lapsut References Mailings Review View Add-Ins		File Edit Refactor Navigate Search Project Metada	
A Cut		M Find -	min district and make m	Teld Server     Teld Server     Modeling Actions     Modeling Actions     Modeling Actions
Paste Format Painter	B Z B - de X, X' Aar 😢 · ▲r 😻 B B B (Er (2) · Br) Thomal Thotpail, Heading1 Heading2 The Charge Short	Replace	IS 🔬 524	
		Editing	<ul> <li>extensions</li> <li>functions</li> </ul>	Dverview
	~		steves	
	10000		B      Sources     R      CENTR, Text, yrd	Hest Incahost Overview
	Processing-database object (200-of 4,929) - creating base/fable "CE_FREPS"		R Converting red: 300	Costs IIC correction
			R 🔂 PDN_DV.avi	Anno and a second secon
	Cancel		10 - Can Self Joint	Administration Connection Cala Connection Workbench basics
			- web_services	Admission is p 💿 Impert Database via IDIC
				Test Administration Specify Import Options Concepts
	Prograss Information			Press the "Next of button to continue or the "Finish" button to finish.
	Importing from XIBC databaser CERRER BUILIS			Relational Model Definition
	~			User ranse Productions records Defaultion on the relation of t
	Processing-distances object (3,7% of 4.9 creating BaseTable TROM_ORG_R0,11/			Passed behavior (process)
	Housey values age, (2,200 H,2 Orang service Hous, projection			Pot Not sex rod
	Carcel			[ Index (Paristro world adapted)
				Test 200: General The Data Tools Platform project provides extensible
				Faneworks and exemplary tools, enabling a frameworks and exemplary tools, enabling a diverse set of club-in of bitmos specific to particular
	No. of the second se			data-centric technologies and supported by the     DT# consystem.
				Model Object Names (Table To Import model into verkipace. See log for datals.
				Use Fully-Qualified Names (Exz DTP project
				Cange Case For M Character  OK  Usam more about the Edgese Data Tools  Platform ensist.  Platform ensist.
				Close Diplors Platform project Platform Platf
				C Make All Lower Gase (Darrely) SJM(DDS > supplier)
				Learn how to use the Data Tools Platform
	Martin Land Land Land Land Land Land Land Lan			Learn now to use the use a following features and tools
	• 1000000-		El Properties SI Description - El	Eclipse Marketplace
				mp Ecupe Manacepace
			Property Value	<ul> <li>Instal copise extensions and sourcement</li> </ul>
Page 1 of 1 Words:0	0070 m			xi
				E Indexe OT
				Workpase Log
				cype fiber text repository
				Pennaga Pagin Data *
				Web development tools
				The Editions Web address Platform (WTP)
				project extends the Eclipse platform with
				tools for developing Web and Java EE applications. It includes source and
				graphical editors for a variety of Impugany, wards and built-in
				Inspages, with dis and built-in applications to pimbly development, and
			·	
			C:/Documents and Settings/johnt-(/workspaceE2/SLH)sources	
			2 Start 🔄 Win 🗀 2 W.+ 🚫 Izb 🕞 023	💿 17 5- 🖉 www., 🕞 196 🛞 Tea 👘 Boo    Seach Deditop

## After clicking OK

None Intent Par	Document) - Microsoft Word	_ ~ 1	O Telid Designer - Eclipse     File Edit Refactor Navioale Search Project Metada		0 ×
	ge Lapsut References Maillings Review View Add-Ins			O 1056_DV.umi O test.umi O Vist.umi Op Teid Server (1) 🆒 " 🖸 🙀 Guides (1) 🖓 Suits " 🗖 🚳 Welcome (1) 🏠 🔶 🔶 🖈 💉 🗟 "	
La Cat	# Body · ··································	B A Mind -		Telid Server Modeling Actions *	
Paste Format Painter	🖌 🗟 - der 🛪, 🛪' Aur 💆 - 🛕 - 🗮 🗃 🗃 🔠 🔄 🖄 - 🔂 - 📋 - Thomas Thiospail		8 💕 SUI	Testida Server Index Ind	
Claboard 9	Pont G Paragraph G Styles	G Lating	- Contensions - Contensions	Catalar Rane Town Town Town Town Town Town Town Town	
			strenes	Model DEC Source	
	Processing database object (700-of 4,929) - creating baseTable "CE_PREPS"		R CERNER_Test.uni R CERNER_Test.uni	Define Teid Rodel Protect	
			(8 🙀 PINS_DVwv	- D. Conte source model for X8C data source	
	Carcel		18 😋 test, sai 19 🐲 views	Administration Connection Voie Workbench basics	
			🔓 web_services	Admistration is pre Ormenet Database via TOEC	
				Test Advisionation Specify Import Options	
	Progress Information			Press the Tiest, >" button to sorticue or the "Finish" button to finish.	
	Importing from XIIC database: CEPIER BUILDS			IDEC Connection Relational Model Definition Team support Find out how to collaborate with other	
				Podel Name: CEMER_BULLOL vmi developers	
	Processing-database object (0,726 of 4,9 creating BaseTable 'PRIME_ORG_R0.TN'			Passord InterNet 3.7(marces	
	Canol			Pot Mele target a view model	
				Test 2005 Preferences	
				Tackde Casing for fully Qualify them. In the case of t	
				DTP ecosystem.	
				-Model Object Names (Table & Disport node into workspace. See log for details.	
				C dange Case For All Chanadar	
				Cover Dytarra OK Platform project	
				Misia Al Labor Case (2-0701750790175007503)     Misia Al Case Case (2-0701055 in Southers)	
				DTP documentation	
	Section 2 Sectio			Learn how to use the Data Tools Plutform features and tools	
	The second secon				
	• and a second sec		Properties () Description 👘 🗖	Eclipse Marketplace	
	and an owner of the second		et 🖬 🐎 🖽 🔻	mp Instal Edge extensions and solutions	
			Property Yoke	*1	
Page:1 of 1 Words: 0 🍏	(104) = =	100% (*) (*		Connect to your task and ALM	
				E Potkers 👀 Kools	
				Concellence to the Mythem Task List and add a     repetition tot.     Concellence tot.	
				Managa Raph Cafa -	
				Web development tools	
				The Edipse Web Tools Platform (WTP)	
				project extends the Eclose platform with the end of the	_
				applications. Rt includes source and applications application of the source of the sou	
				Inspanse water of a market of	
				appications to simplary development, and	٤Ĩ
			Ci/Documents and Settings/johet+(ivorkspaceE2/SLH)sources		
			🥂 Start 🔄 Wn 🗀 2 W.+ 🕟 Inb 🍺 023.	👩 🕽 🕇 🖕 👘 📶 🚛 👘 👘 👘 👘 👘 👘 👘 👘 👘 👘 👘 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 👘 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉 🖉	MA BI

No sign of model.. nothing in "Error Log" tab...