


### TestSave.bpmn2 - Business Processes

Save Delete Rename Copy Latest Vers



Process Modelling Simulation Results

TestSave v.1.0 (TestSave.TestSave)



SIMPLE PROCESS WITH TWO TASK

SOME PROCESS VARIABLE

Add Variable					
	Name	Defined Types	Custom Type	KPI	
1	text001	String		false	⊘
2	text002	String		false	⊘
3	num001	Integer		false	⊘
4	flag001	Boolean		false	⊘

#### Properties (BPMN-Diagram)

Name	Value
Core Properties	
AdHoc	false
Executable	true
Globals	
ID	TestSave.TestSave
Imports	
Package	org.jbpm
Process Inst...	
Process Name	TestSave
Variable Defi...	text001:String,text002:String,num001:Integer,flag001:Boolean
Version	1.0
Extra Properties	
Documentati...	
Target Name...	http://www.omg.org/bpmn20
TypeLanguage	http://www.java.com/javaTypes
Simulation Properties	
Base Currency	
Base time unit	minutes

Editor Overview

#### Messages

Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

Project Editor

jbpm-playground / TestSave

BUSINESS PROCESSES

TestSave

FORM DEFINITIONS

st-taskform

second-taskform

TestSave.TestSave-taskform

USERS

WORK ITEM DEFINITIONS

Form Modeler [first-taskform] FIRST TASK FORM Save Delete Rename Copy Latest Version

Form data origin Add fields by origin Add fields by type Form properties

Id:

Input Id:

Output Id:

Render color:

Type:

- From Basic type
- From Data Model
- From Java Class

Info:

### Manage form data origins

List of data sources that will be bound to form fields.

VARIABLES ARE CONFIGURED FOR INPUT AND OUTPUT

	Id	Input Id	Output Id	Type	Info	Re
<input type="checkbox"/>	flag001	flag001	flag001	From Basic type	java.lang.Boolean	
<input type="checkbox"/>	num001	num001	num001	From Basic type	java.lang.Integer	
<input type="checkbox"/>	text001	text001	text001	From Basic type	java.lang.String	
<input type="checkbox"/>	text002	text002	text002	From Basic type	java.lang.String	

Editor Overview

Messages Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

Project Editor

jbpm-playground / TestSave

BUSINESS PROCESSES

TestSave

FORM DEFINITIONS

- st-taskform
- second-taskform
- TestSave.TestSave-taskform

USERS

WORK ITEM DEFINITIONS

### Form Modeler [second-taskform]

SECOND TASK FORM

Form data origin Add fields by origin Add fields by type Form properties

Id:

Input Id:

Output Id:

Render color:

Type:

- From Basic type
- From Data Model
- From Java Class

Info:

## Manage form data origins

VARIABLE CONFIGURED FOR INPUT AND OUTPUT

List of data sources that will be bound to form fields.

	Id	Input Id	Output Id	Type	Info	Re
<input type="button" value="trash"/>	flag001	flag001	flag001	From Basic type	java.lang.Boolean	
<input type="button" value="trash"/>	num001	num001	num001	From Basic type	java.lang.Integer	
<input type="button" value="trash"/>	text001	text001	text001	From Basic type	java.lang.String	
<input type="button" value="trash"/>	text002	text002	text002	From Basic type	java.lang.String	

Editor Overview

### Messages

Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

### Form Modeler [second-taskform]

Form data origin Add fields by origin **Add fields by type** Form properties

flag001 (flag001)  
num001 (num001)  
text001 (text001)  
text002 (text002)

Save Delete Rename Copy Latest Vers

#### Properties (flag001)

Field type:

Field name:

Label:

Default error message:

Label css class:  Label css style:

Help text:

Style class:  Css style:

Required  Read only

Default value formula:

On change Script code:

FLAG VARIABLE IS READ ONLY

Editor Overview

#### Messages

Level	Text	File	Column	Line
-------	------	------	--------	------

Project Editor

jbpm-playground / TestSave

BUSINESS PROCESSES

TestSave

FORM DEFINITIONS

st-taskform

second-taskform

TestSave.TestSave-taskform

USERS

WORK ITEM DEFINITIONS

### Form Modeler [second-taskform]

Form data origin Add fields by origin **Add fields by type** Form properties

The design canvas shows a grid with four fields: a flag field (flag001), a number field (num001), and two text fields (text001 and text002). The number field is highlighted with a red box and a red arrow pointing to the 'Read only' checkbox in the properties panel.

NUMBER VARIABLE IS READ ONLY

#### Properties (num001)

Field type: Integer

Field name: num001

Label: num001 (num001)

Default error message:

Label css class: Label css style:

Help text:

Style class: Css style:

Size: Max length:

Required  Read only

Formula:

Editor Overview

Messages Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

Project Editor

jbpm-playground / TestSave

BUSINESS PROCESSES

TestSave

FORM DEFINITIONS

st-taskform

second-taskform

TestSave.TestSave-taskform

USERS

WORK ITEM DEFINITIONS

### Form Modeler [second-taskform]

Form data origin Add fields by origin **Add fields by type** Form properties

HTML label

Separator

Simple subform

Multiple subform

Short text

Long text

Character

Single precision decimal

Double precision decimal

BigDecimal

BigInteger

Byte

Short

Integer

Long integer

E-mail

CheckBox

flag001 (flag001)

num001 (num001)

text001 (text001)

text002 (text002)

TEXT VARIABLE IS READ ONLY

#### Properties (text001)

Field type: Short text

Field name: text001

Label: text001 (text001)

Default error message:

Label css class: Label css style:

Help text:

Style class: Css style:

Size: Max length:

Required  Read only  Show HTML  Password

Formula:

Editor Overview

Messages Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

Project Editor

Project Editor

jbpm-playground / TestSave

BUSINESS PROCESSES

TestSave

FORM DEFINITIONS

st-taskform

second-taskform

TestSave.TestSave-taskform

USERS

WORK ITEM DEFINITIONS

### Form Modeler [second-taskform]

Save Delete Rename Copy Latest Vers

Form data origin Add fields by origin Add fields by type Form properties

HTML label

Separator

Simple subform

Multiple subform

Short text

Long text

Character

Single precision decimal

Double precision decimal

BigDecimal

BigInteger

Byte

Short

Integer

Long integer

E-mail

CheckBox

flag001 (flag001)

num001 (num001)

text001 (text001)

text002 (text002)

LAST VARIABLE IS WRITEABLE

Properties (text002)

Field type: Short text

Field name: text002

Label: text002 (text002)

Default error message:

Label css class: Label css style:

Help text:

Style class: Css style:

Size: Max length:

Required  Read only  Show HTML  Password

Formula:

Editor Overview

Messages Refresh

Level	Text	File	Column	Line
-------	------	------	--------	------

Search...

Process Definitions

Name	Version	Project	Actions
TestSave	1.0	demo:TestSave:1.0	Start

START THE PROCESS

demo:TestSave:1.0 - TestSave.T... ▶ New Instance ↺

Details

**Definition Id** TestSave.TestSave

**Definition Name** TestSave

**Deployment** demo:TestSave:1.0



Process Definitions

Name	Version	Project	Actions
TestSave	1.0		

### TestSave

Correlation key

Form

text001 (text001)

text002 (text002)

flag001 (flag001)

num001 (num001)

Submit

demo:TestSave:1.0 - TestSave.T... New Instance

#### Details

Definition Id TestSave.TestSave

Definition Name TestSave

Deployment demo:TestSave:1.0

10 Items

1 of 1

### Tasks List

New Task

Active Personal Group All Admin

#### Filter Personal

Task	Description	Actions
First		Release Complete

10 Items

### 19 - First

Work Details Process Context Assignments Comments

flag001 (flag001)  
num001 (num001)  
12345  
text001 (text001)  
aaaaaa  
text002 (text002)  
bbbbbb

Save Release **Complete**

FIRST TASK!

FILL ALL FIELDS ...

... AND COMPLETE TASK

### Tasks List

New Task [refresh] [gear] [list] [x] [dropdown] [up] [down]

Active [x] Personal [x] Group [x] All [x] Admin [x] +

#### Filter Personal

Task	Description	Actions
Second		Release Complete

10 Items [dropdown] 1 of 1 [left] [right]

### 20 - Second

Work Details Process Context Assignments Comments

flag001 (flag001)  
num001 (num001)  
12345

text001 (text001)  
aaaaaa

text002 (text002)  
cccccc

Save Release Complete

SECOND TASK

CHANGE LAST FIELD..

..AND SAVE!

### Tasks List

New Task

Active Personal Group All Admin

#### Filter Personal

Task	Description	Actions
Second		Release Complete

10 Items

1 of 1

### 20 - Second

Work Details Process Context Assignments Comments

flag001 (flag001)

hum001 (num001)

12345

text001 (text001)

aaaaaa

text002 (text002)

cccccc

Save Release Complete

FLAG VARIABLE  
LOST THE VALUE

